



江苏安华警用装备制造有限公司
JIANGSU ANHUA POLICE EQUIPMENT
MANUFACTURING CO.,LTD



ANHUA



400-6763-888 400-6806-986



We are looking for more customers to develop both kind business with us!



Under Carriage Inspection Mirror

(Model No: SM-AH23)

General Specification:

- Mirror: Stainless Steel material. Diameter 160MM acrylic high strength breakage-proof mirror; Convexity, 2 times magnification; It is 1/2 weight of ordinary glass mirror of the same size; Safe and durable; Wear-resistant and anti-brittle, completely surrounded round mirror.
- Pole: Anti-skidding style 1.6m ultra-long retractable pole; 180 degrees free rotated mirror, can maximize the depth of the detected vehicles and items; Using high quality aluminum structure and multiple high strength processing, light quality, strong, beautiful; The surface is treated with baking outdoor paint in the dust-free workshop, Long-term use does not fade color, no peculiar smell, harmless to the human body.
- Light source: Built-in high light LED lamp, install it close to the inspection mirror; It ensures that it can also be used normally in the dark environment, greatly improving the lighting efficiency.
- Length: Elongation 1600MM, shrinkage 520MM





Outdoor Inspection Mirror

(Model No: HYM-AH01)

General Specification:

- Diameter: 61cm
- Wide Angle: 180 degrees
- View Distance: 20M
- Mirror Type: Convex
- Mirror lens: Made of PC
- Other Material: Made of ABS plastic





Ballistic Shield

(Model No: BPS-AH23)

General Specification:

- Description: Full body protection ballistic shield made of high-quality PE/Aramid material. Provide with carry belt with shoulder pad. Suitable to fit with trolley carrying.
- Length: 100cm Width: 50cm Weight: 5.5KG \pm 0.1kg
- Bullet Proof Level: NIJ IIIA (0101.06 Guard against .44 bullets)
- Size of view point: 17.8cm x 9.92cm
- Fitted with hard wearing rubber edge protector trim
- Trolley: Trolley with 3 wheels, independent steering on wheel. Design to mount shield conveniently. Having breaking mechanism in 2 wheels.
- Can be customized as per the requirement of buyer.





Handheld Search Light

(FLT-21)

General Specification:

- Rated voltage: DC11.1V.
- Rated capacity: 4,400 mAh.
- Rated power (LED): 3*3W.
- Light illuminate mode: 2
- Average service life of light source (LED): 100000h.
- Distance: 500M
- Continuous discharge time: 8h (bright light) / 16h (working light) / 32h (strobe).
- Charging time: 6h (after normal use) / 8h (after battery depletion)
- Battery life: 1000 (cycle)
- Overall dimensions: 69*165mm (diameter*long).
- Weight: ≤1kg.
- Shell protection level: IP68(1.5m/1h).
- Provided with: Charger protective carry case, detachable shoulder strap
- Mounting: 1 x vehicle charging mounting bracket.





Electric Stun Baton

(EB-2200)

(Use as riot control equipment for electric shock. 5 x stun baton in 1 set)

General Specification:

- LED: Cree XPE G2
- Input: DC0.8V-4.2V, puls frequency 25Hz
- Output: Maximum 281 lumens, 2.5mAh
- Voltage output: 20,000 V
- Battery capacity: 2,000 mAh
- Arc pulling distance: 8-12mm
- Reflective cup: Metal coating
- Lens: Vacuum-coated glass
- Material: High-strength aviation-grade aluminum material
- Technology: Military level 3 anodization
- Switch: Tail press + Sides press
- Dimensions: Head: 41MM/ Length: 171MM
- Weight: 205g \pm 10g (without battery)
- Provided with: Lithium rechargeable battery, charger, carry bag and storage case





Demolition/Breaching Tool Set

(Model No: EBT-AF23)

The breaching tool consists of a set of dismantling tool backpacks, including with sledge hammer/axe, pry bar, bolt cutter (having anti slip trip handle, non-inductive and non-sparking) and backpack bag/Carry case (carry case is made of nylon material, covered with a protective sponge and an adjustable shoulder strap, retention straps for each tools having quick release system)

General Specification:

- **Bolt cutter:** The bolt cutter of high-speed steel material is hard red, which overcomes the disadvantage of carbon tool steel losing the metal cutting ability at high temperature, and the handle design reaches the maximum lever. Using the simple physical lever principle, let the special police quickly cut the strong iron chain. Glass fiber insulated handle, lightweight while resistant to up to 100,000 volts of current. Weight: 2.5 KG, length: 610MM, maximum shear opening width: 23MM.
- **Sledge hammer:** Allowing the special police to switch the tools at any time, anti-static and anti-slip polymer handshake handle, adding a special coating to make the hammer will not absorb glass fragments, blocking up to 100,000 volts of current. Weight: 3.4 KG, total length: 590MM.
- **Pry bar:** Made of alloy steel, with a pointed end to cut a hole in the iron sheet, then cut it with a C-shaped cutter at the other end. Can cut the iron sheet of aircraft and cars, prevent over electricity, can block up to 100,000 volts of current. Weight: 2 KG, length of 820MM.
- **Battering ram:** It has anti-electricity and fire prevention flower function. Both ends of high-density insulating rubber and two handles. Its working principle is to use the kinetic energy of the swing hammer, into the huge force of the wooden door lock, At the time of impact, all the forces are concentrated on the front end of the hammer, to achieve the effect of a crash, it is specially designed for the breakers in the army, who is responsible for the SWAT team to into the building, responsible for breaking any structural obstacles such as doors and windows. Weight: 15.87KG, length: 1050MM.





Public Address System

(Model No: S-305)

High quality PA system that can easily be installed into vehicle.

General Specification:

- Peak power: 800w
- Output impedance: 4-8 Ω
- Input voltage: 12V supports sound recording and supports remote control operation
- Input signal: Microphone (inbuilt noise filter), USB, TF card, Bluetooth
- Product weight: 450g
- Product size: 160x110x40mm
- Product color: black
- Horn speaker power: 30w (weatherproof with connection lead)
- Provided with: Siren and mounting hardware





Personal Mounted Camera

(Model No: EA-02)

General Specification:

- Connection technology: Bluetooth, wireless network
- Flash memory type: 64 GB micro-SD card.
- Color: black
- Special report: Waterproof
- Screen size: 2 inches
- Focal length: 1.0mm
- Camera type: Action camera
- 1080P video and ultra slow motion playing 720P240 videos as well as 12MP photos resolution with up to 30 frame per second still photo.
- Built-in Wi-Fi and Bluetooth, support for GoPro applications, intelligent remote control, etc.
- The Super view-enabled Proton provides cinema-quality capture and advanced manual control for photos and videos, and has the world's most immersive wide-angle view.
- Night photos and night time-lapse provide customizable exposure settings for night shots.
- Action camera provided with standard battery and battery charger. For extra mount, the camera comes with 3 in 1 selfie stick monopod pole. Large case which can accommodate camera and extra gadgets and accessories.
- Included with: Adjustable head strap for head mount, suction cup for car mount, bike mount, 2 x chest strap and J hooks, Helmet harness for helmet mount as per requirement, 8 x adhesive VHM surface mounting sticker, 4 x flat surface mount, 4x curved surface mount, handheld hermetically sealed floating bobber, 2 x screen protectors, 1 x table tripod, 1 x lens cap holder, 1 x cleaning pen and 1 set of cleaning kit.





Handheld Metal Detector

(Model No: PD-270)

General Specification:

- Power supply: 9V standard declarable battery. Single push-button start.
- Power consumption: 270MW
- Working Frequency: 22 KHZ
- Standby current: <5MA
- Operating voltage: 7~12V in DC
- Operating temperature: -10℃ ~65℃
- Reset time: 0.5 seconds, automatic
- Net weight: 175g (excluding battery), weight after packaging: 242g (excluding battery)
- Overall dimension: 295 * 68 * 28MM
- Supply with: Rechargeable battery kit.
- Harmless for heart pacemakers, defibrillators and pregnant women.
- Special feature: Case is made of ABS plastic. Metal detector is instant respondent to all metals and no false alarms. Digital alarm with LED visual. Comes with rechargeable battery kit for 220v. Automatic self-adjusting circuits.





Riot Control Gas Mask Full Kit

(Model No:GM-11)

General Specification:

- The gas mask has feature of wearing comfort and flexible, impact resistance polycarbonate lens with wide field of vision fitted with rubber face piece. 10x full kit set in one set.
- 5-point adjustable head harness.
- Connection for drinking facility.
- Provided with two extra filters/Canisters (total 3 canister and 1 water bottle), a storage bag and a carry bag.





Teargas Launcher

(Model No:PY-01)

General Specification:

- Caliber: 38MM.
- Gun tube length: 250MM.
- Weight:2.5KG.
- Operation: Single shot.
- Cartridge: Each launcher contains 200 pcs cartridge.



Cartridge for Teargas Launcher

(Model No:CS-22)

General Specification:

- Body: aluminum.
- CS (gas) agent:50gm.
- Ammunition exchange time: 15s.
- Ammunition fuse delay: 3s.
- Coverage area: 45 degrees angle emission at a distance of 80 m.
- Mist: white.
- Shell service life:5 years.





Hand Grenade Colored Smoke

(Model No: CSG-22)

General Specification:

- Application: Tagged landing point, Airline marking point, Emergency search and search mission mark.
- Applying weapons: No.
- Caliber: 48mm.
- Length: 110mm.
- Weight: 130gm.
- The fuse delay time: 2s.
- Mist duration: 30s.
- Smoke release hole: 10.
- Temperature range: -30°C to 45°C.
- Shell service life: 5 years from the date of manufacture.
- Structure: Plastic.
- Usage: Hand throw type.
- Package: Plastic-aluminum composite package and wood box or equivalent material;
- Storage condition: Temperature: 5°C to 20°C, Humidity: 55% to 65%.
- Color: Two colors (green and yellow).
- Measurement unit: SET (2 pcs/set, green and yellow)





Automatic (TG) Grenade Launcher

(Model No:PY-22)

General Specification:

- Capacity: 6 rounds with revolving action.
- Weight: 3.5kg.
- Caliber and Cartridge: 38mm.
- Total length: 750mm.
- Gun tube length: 250mm.
- Material: Aluminum alloy main body, plastic handle.
- Security: trigger lock;
- Activable type: Must be active;
- Round: Suitable for the above transmitter rounds for 50pcs.





Signal Pistol (60x3 color cartridge/pcs)

Model No: PY-23

Specifications:

- (1) Caliber: 26mm
- (2) Weight: $\leq 0.9\text{kg}$
- (3) Shape size (length \times width \times height): 220mm \times 35mm \times 160mm
- (4) Trigger pull: 15N \sim 30N
- (5) Max Vertex (angle of fire: 80 $^{\circ}$ \sim 90 $^{\circ}$): $\geq 90\text{m}$
- (6) Shooting method: single shot, manual load
- (7) Ammunition type: 26mm signal flare in various colors
- (8) Life: $\geq 3000\text{rounds}$
- (9) Failure rate: $\leq 0.3\%$

Operation	Manual cocking and releasing of firing pin	Effective range	Close quarters
Combat rate of fire	About 10-12 rounds/min	Weight of gun	$\leq 0.9\text{kg}$
Barrel length (in mm)	150mm	Caliber	26mm diameter
Length of gun (in mm)	220mm	Number of barrels	1

It is used to fire 26mm signal pistol cartridge. It is designed for commanding or liaison purpose.





26mm Signal Pistol Cartridge



26mm Signal Pistol Cartridge (red)



26mm Signal Pistol Cartridge (yellow)



26mm Signal Pistol Cartridge (green)

type		red	green	yellow	white
Size	Total length	74mm ~ 79mm			
	Diameter	$\phi 26.6\text{mm}$ (Max)			
	Diameter of the cartridge	$\phi 29.1\text{mm} \sim \phi 29.8\text{mm}$			
Total weight		$\approx 50\text{g}$		$\approx 55\text{g}$	
Starlight body length		22mm ~ 32mm	22mm ~ 30mm	28mm ~ 35mm	35mm ~ 42mm
Starlight body weight		$(18 \pm 3)\text{g}$	$(22 \pm 3)\text{g}$	$(25 \pm 3)\text{g}$	$(30 \pm 3)\text{g}$
Type of point gunpowder		No.2 black powder			
Weight of point gunpowder		$\approx 1.5\text{g}$			$\approx 1.6\text{g}$
Burning time of luminophor in the air		$\geq 6.5\text{s}$			
Firing height		$\geq 90\text{m}$ ($80^\circ \sim 90^\circ$) firing angle			/
Firing distance		/			$\geq 120\text{m}$ (45° firing angle)
Optical distance		$\geq 10\text{km}$			/
Luminous intensity (international candle)		/			$\geq 50000\text{cd}$
Use		P-6B primer			
Storage		The products can be stored for 5 years with sealing packing in the standard ammunition store room.			



Taser (Advanced Pistol)1x60 Cartridge

Model No: TX-100P

General Specification:

- This advance taser pistol is waterproof & rechargeable with backup shot and battery indication. Polymer housing. Laser targeting system.
- Wire length: 460cm.
- Weight: 400g.
- Output Voltage: $55 \pm 5KV$ (MEASURED VALUE)
- Output Current: $< 2mA$
- Pules Frequency: $19 \pm 1Hz$
- Motive Force: High Compressed Gas (N2)
- Max Working Range: 6 meters (Suggested working range: 3-5 meters)
- Battery: 7.4V, 1400mAh, for over 450 times of 5-second electric stun
- Operation Temperature/humidity: $-40^{\circ}C$ to $55^{\circ}C$ / 70%
- Digital Display: Power level, Low power warning, 5 seconds countdown
- Protections: Manual stop, Auto lock after 3 continuous electric stuns
- Cartridge*30pcs, Cartridge Holder*1pcs, Battery*1pc, Charger*1, Holster*1pc, Storage Case*1pc.
- Waterproof: IP57
- Data Function: Data storage and download
- LED Light: Max Output 40 lumen





Elbow Protection

Model No: KEP-12

General Specification:

- Surface: Tuxford cloth;
- Interior: EVA;
- Lining: sponge flannelette.



Knee Protection

Model No: KEP-13

General Specification:

- Surface: TPU + Oxford cloth;
- Interior: EVA;
- Lining: sponge + flannelette.





Chest and Back Protection

Model No: BP-08U

Specification:

- Double layer chest and back protection meets the riot NIJ0104.02
- Material: High-performance project plastic high molecular weight polythene non-fiber cloth;
- The ability of anti-puncture: 20J kinetic energy to puncture, knife point is not puncturing the protection layer;
- The ability of anti-impact: The impact of 120J kinetic energy, the protection layer is not damaged or broken;
- Strike power absorbing performance: 100J kinetic energy strike the protection layer, the colloid clay impresses no excess 20mm;
- Anti-riot suit consists of arm protector, shoulder, body protector.
- Weight: 5.55kg





Thigh Protection

Model No: THP-08

General Specification:

- The new one we just finished, all with double layer.
- Material: High-performance project plastic high molecular weight polythene non-fiber cloth.
- The ability of anti-puncture: 20J kinetic energy to puncture, knife point is not puncturing the protection layer.
- The ability of anti-impact: The impact of 120J kinetic energy, the protection layer is not damaged or broken.
- Strike power absorbing performance: 100J kinetic energy strike the protection layer, the colloid clay impresses no excess 20mm.



Gloves for Riot Control

Model No: TG-23

Specification:

- Hand back joint protection.
- Silicone anti-skid material, wear-resistant and anti-skid.
- Fingertip sensitive touch screen.
- With anti cutting performance.






Riot Control Shield

Model No:SD-9535

Specification:

- Material: PC (polycarbonate).
- Size: 900*500*3.5mm.
- Weight: 3kg.
- Protects the body with an area of at least 90 * 50cm.
- The shield can stand strong shocks.
- Two kinds of handle: Plastic & aluminum;
- With adjustable Velcro belt.
- The edges are wrapped.
- Lobo print: As per buyer's option.



Riot Control Baton

Model No: PB-T60

Specification:

- Diameter: 29mm.
- Made: Polycarbonate.
- Weight: 460gm.
- Length:60cm.
- Features: An anti-skid and shock-absorbent handle; grip with side handle.





Riot Control Body Protection

Model No: BP-38

General Specification:

- Protection: Elbow, Knee, Shoulder, Leg, Chest & Back, Forearm, Up arm and leg.
- Upper body protection with blunt trauma protection and stab protection.
- Can meet standard NIJ 0104.02(RIOT).
- Outer Shell: alloy steel/polyester cotton.
- Weight: 6.95kg.



Riot Control Helmet with visor

Model No: RH-12B

General Specification:

- Material: high quality special ABS PC with fiberglass layers.
- Features: Accept gas masks.
- Provide full coverage including skull base area and upper cervical vertebrae.
- Impact resistance, antistrike, penetration proofing, water-proof.
- Color: Black.
- Can meet standard NIJ0104.02(RIOT) and NIJ0105.01(CRASH).



免费电话：

400-6763-888 400-6806-986

江苏安华警用装备制造有限公司

JIANGSU ANHUA POLICE EQUIPMENT MANUFACTURING CO.,LTD



工厂地址：江苏省靖江市新港城开发区

电话：0523-84211641 84212868

传真：0523-84200808

Email：anhupolice@yahoo.com.cn

sales@anhupolice.com

Website: [http:// www.anhupolice.com](http://www.anhupolice.com)

南京办事处

地址：南京市江东北路121号辰龙广场1-1805

电话：025-86209849 86219496

传真：025-86226872

Email：machong@anhupolice.com

jyzbc.jj@tz.js.cn



Website: [http:// www.anhupolice.com](http://www.anhupolice.com)

